



EURONETE

TRUSTED BY THOSE FEEDING THE WORLD



**STEEL
WIRE
ROPES**

EURALPACT®

Eural® Coated Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
10	41	62
12	57	88
14	80	122
15	90	138
16	104	158
18	132	200
19	146	225
20	164	252
22	196	301
24	238	361
26	277	423
28	312	485
30	363	557

EURALPACT®

Eural® Coated Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
14	90	133
15	101	149
16	117	175
19	165	243
20	184	270
22	220	323
24	266	386
25	297	439
26	310	455
28	351	527
30	408	597
32	474	740
34	532	832
35	568	887
36	604	944

EURALPACT®

Eural® Coated Compacted
6x26 WS
1770 N/mm²



Diameter	Weight	MBF
mm	Kg/100m	kN
20	179	299
22	215	359
24	257	429
26	300	501
28	355	591
30	402	671
32	459	766
34	519	867
36	580	968
38	644	1076
40	719	1199
42	790	1318
44	869	1499

GENERAL PURPOSE

Galvanized
6x19 (1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
8	22	35
10	35	54
12	50	78
14	68	107
16	89	139
18	112	176
20	138	217
22	168	263
24	199	313

GENERAL PURPOSE

Galvanized
6x36WS (1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
10	37	58
12	52	84
14	72	114
16	94	150
18	119	189
20	147	234
22	178	283
24	211	336
26	248	395
28	288	458
30	330	526
32	376	598

TURBOWIRE

Galvanized
3x31WS
Dual Tensile (1570/1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
12	54	75
14	66	111
16	89	145
18	111	183
20	141	226
22	169	274
24	200	290
26	229	382
28	269	443
30	308	508
32	342	579

GENERAL PURPOSE

Galvanized
6x24 (1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
12	44	70
14	60	97
16	79	127
18	100	161
20	123	198
22	150	240
24	177	285

GENERAL PURPOSE

Galvanized
6x36WS (1770 N/mm²)

STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
10	41	63
12	59	91
14	80	124
16	105	161
18	132	204
20	164	252
22	198	305
24	236	363
26	276	426
28	321	494
30	368	567
32	419	645

EUROWIRE®

Galvanized
6x7 (1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
8	22	38
10	35	59
11	42	71
12	51	85
13	58	99
14	68	115
16	88	150



EUROPACT®

Galvanized Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
12	57	88
14	80	122
16	104	158
18	132	200
20	164	252
22	196	301
24	238	361
26	277	423
28	312	485
30	363	557

EUROPACT®

Galvanized Compacted
6x26 WS
Dual Tensile (1570/1770 N/mm²)

FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	161	248
22	193	297
24	229	354
26	269	416
28	318	491
30	362	558
32	412	636

EUROPACT®

Galvanized Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)

STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
14	90	133
16	117	175
18	148	221
20	184	270
22	220	323
24	266	386
26	310	455
28	351	527
30	408	597

EUROPACT®

Galvanized Compacted
6x26 WS
Dual Tensile (1570/1770 N/mm²)

STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	179	282
22	215	339
24	257	405
26	300	473
28	355	558
30	402	633
32	459	723
34	519	818
36	580	913
38	644	1015
40	719	1131
42	790	1243
44	869	1367



EUROPACT - TUNA®

Galvanized Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	155	235
22	190	293
24	226	348
26	270	415
28	311	478
30	353	543

EUROPACT - TUNA®

Galvanized Compacted
6x26 WS
Dual Tensile (1570/1770 N/mm²)



FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	154	230
22	190	285
24	225	338
26	265	395
28	305	464
30	334	505
32	395	600

EUROPACT - TUNA®

Galvanized Compacted
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	175	256
22	214	315
24	254	372
26	302	453
28	349	527
30	396	597
32	452	670

EUROPACT - TUNA®

Galvanized Compacted
6x26 WS
Dual Tensile (1570/1770 N/mm²)



STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	173	256
22	213	315
24	252	375
26	296	453
28	344	510
30	382	590
32	445	665



EURAL®

Eural® Coated
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
12	53	79
14	71	109
16	95	145
18	119	185
20	149	228
22	172	270
24	205	321
26	249	389
28	284	447
30	326	512
32	374	585

EURAL®

Eural® Coated
6x7
(1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
8	22	38
9	28	48
10	34	59
11	42	71
12	51	85
13	58	99
14	68	115

EURAL®

Eural® Coated
6x26 WS
Dual Tensile (1570/1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
16	92.2	140
18	116	177
20	149	223
22	179	266
24	214	318
26	251	380
28	285	445
30	335	498
32	378	570

EURAL®

Galvanized
6x26 WS
Dual Tensile (1570/1770 N/mm²)



Diameter	Weight	MBF
mm	Kg/100m	kN
18	139	201
20	169	250
22	203	295
24	241	351
26	284	427
28	330	501
30	378	555
32	428	650



EUROWIRE®

Galvanized
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
8	24	37
10	38	58
12	53	79
14	71	109
16	95	145
18	119	185
20	149	228
22	172	270
24	205	321
26	249	389
28	284	447
30	326	512
32	374	585
34	422	659
36	469	735

EUROWIRE®

Galvanized
6x26 WS
Dual Tensile (1570/1770 N/mm²)



FIBER CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	149	223
22	179	266
24	214	318
26	251	380
28	285	445
30	335	498
32	378	570
34	415	599
36	465	671

EUROWIRE®

Galvanized
6x19 Seale
Dual Tensile (1570/1770 N/mm²)



STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
12	60	95
14	80	129
16	107	156
18	135	198
20	169	250
22	195	295
24	233	351
26	282	427
28	322	495
30	369	575
32	424	650
34	476	725
36	530	805

EUROWIRE®

Galvanized
6x26 WS
Dual Tensile (1570/1770 N/mm²)



STEEL CORE

Diameter	Weight	MBF
mm	Kg/100m	kN
20	169	250
22	203	295
24	241	351
26	284	427
28	330	501
30	378	555
32	428	650
34	483	735
36	542	824



EURONETE

TRUSTED BY THOSE FEEDING THE WORLD

Euronete has a worldwide leadership position through the production and distribution of netting, steel wire and fibre ropes.

In 2012, WireCo WorldGroup www.wirecoworldgroup.com acquired Euronete joining its family of brands and giving numerous value added products to the WireCo portfolio. WireCo WorldGroup, a global manufacturing and technical leader in its industry, provides a consultative selling approach to offer customers a single, reliable source for solutions that fit their specific application and budget needs as well as education and expertise that enhances value.

Euronete operates in four units: Maia (Head Office), Boticas, Le Guilvinec (France) and Goa (India), and has seven distribution branches located in different areas in the World:

- Ymuiden Stores Holland / Anza in Ijmuiden, Netherlands
- Euronete Scandinavia in Fredericia, Denmark
- Euronete UK in Aberdeen, Scotland
- Lankhorst Euronete in New Bedford, and stockpoint located in Seattle, USA
- Lankhorst Euronete Australia in Brisbane, Australia
- Lankhorst Euronete India in Goa, India.

With this position in worldwide markets, Euronete can provide a fast and efficient service to all its customers worldwide.



Lankhorst Euronete Portugal, SA
Rua da Cerfil (Cap. Gramaxo) PO Box 1029
4471-909 Maia - Portugal

Phone: +351 229 619 200
Fax: +351 229 605 757
e-mail: euronetesalesdepartment@lankhorsteuronete.com