



TWISTED POLYPROPYLENE



3 strand twisted ropes made of polypropylene.

Rope made following EN and ISO standards, for several purposes.

Diameter mm	Weight g/m	MBF kN	MBF tf
4	7,23	2,78	0,28
6	16,3	5,92	0,60
8	28,9	10,1	1,03
10	45,2	15,4	1,57
12	65,1	21,6	2,20
14	88,6	28,9	2,95
16	116	37,0	3,77
18	146	46,2	4,71
20	181	56,1	5,72
22	219	67,1	6,84
24	260	78,8	8,03
26	306	91,5	9,33
28	354	105	10,7
30	407	119	12,1
32	463	134	13,7
36	586	167	17,0
40	723	204	20,8
44	875	243	24,8
48	1040	286	29,2
52	1220	332	33,8

Rev1 07/2013

This data is for guidance purposes only and subject to changes without prior notice.

Lankhorst Euronete Portugal, SA
 Rua da Cerfil (Cap. Gramaxo) PO Box 1029
 4471-909 Maia - Portugal

Phone: +351 229 619 200
 Fax: +351 229 605 757
 e-mail: euronetesalesdepartment@lankhorsteuronete.com

