



GENERAL PURPOSE WIRE



GALVANIZED STEEL WIRE ROPE
6 x 19 + FC (1770 N/mm²)
NOT GREASED

FIBER CORE

Diameter mm	Weight Kg/100m	MBF kN
8	22	35
10	35	54
12	50	78
14	68	107
16	89	139
18	112	176
20	138	217
22	168	263
24	199	313



Rev/07/2015

This data is for guidance purposes only and subject to changes without prior notice.

Lankhorst Euronete Portugal, SA
Rua da Cerfil (Cap. Gramaxo) PO Box 1029
4471-909 Maia - Portugal

Phone: +351 229 619 200
Fax: +351 229 605 757
e-mail: euronetesalesdepartment@lankhorsteuronete.com

