





STEEL WIRE ROPES



GENERAL PURPOSE WIRE

GALVANIZED STEEL WIRE ROPE
6 x 36 WS + FC/IWRC (1770 N/mm²)



FIBER CORE

Diameter mm	Weight Kg/100m	MBF kN
10	36,7	58,4
12	52,0	84,1
14	70,4	114
16	91,8	150
18	113	189
20	147	234
22	175	283
24	207	336
26	247	395
28	285	458
30	318	526
32	361	598

STEEL CORE

Diameter mm	Weight Kg/100m	MBF kN
10	40,2	63,0
12	58,2	90,7
14	79,0	124
16	101	161
18	128	204
20	163	252
22	196	305
24	233	363
26	273	426
28	319	494
30	355	567
32	407	645

Rev. 0 04/2012

This data is for guidance purposes only and subject to changes without prior notice.

Lankhorst Euronete Portugal, SA
Rua da Cerfil (Cap. Gramaxo) PO Box 1029
4471-909 Maia - Portugal

Phone: +351 229 619 200
Fax: +351 229 605 757
e-mail: sales@grupoeuronete.pt



LEADING IN A COMPETITIVE SEA

www.euronete.com