





# EUROWIRE®

GALVANIZED STEEL WIRE ROPE  
6 x 19 SEALE + FC/IWRC  
DUAL TENSILE (1570/1770 N/mm<sup>2</sup>)



### FIBER CORE

Diameter mm	Weight Kg/100m	MBF kN
8	24	37
10	38	58
12	53	79
14	71	109
16	95	145
18	119	185
20	149	228
22	172	270
24	205	321
26	249	389
28	284	447
30	326	512
32	374	585
34	422	659
36	469	735

### STEEL CORE

Diameter mm	Weight Kg/100m	MBF kN
12	60	95
14	80	129
16	107	156
18	135	198
20	169	250
22	195	295
24	233	351
26	282	427
28	322	495
30	369	575
32	424	650
34	476	725
36	530	805

Rev/07/2015

*This data is for guidance purposes only and subject to changes without prior notice.*

Lankhorst Euronete Portugal, SA  
Rua da Cerfil (Cap. Gramaxo) PO Box 1029  
4471-909 Maia - Portugal

Phone: +351 229 619 200  
Fax: +351 229 605 757  
e-mail: euronetesalesdepartment@lankhorsteuronete.com

